

ACC	American College of Cardiology
ACE	angiotensin-converting enzyme
ACS	acute coronary syndrome
ACS QUIK	Acute Coronary Syndrome QUality Improvement in Kerala
AFA-LT	Atrial Fibrillation Ablation Long-Term registry
AHA	American Heart Association
ARB	angiotensin receptor blocker
ARRIVE	Aspirin to Reduce Risk of Initial Vascular Events
ASCOT	Anglo-Scandinavian Cardiac Outcomes Trial
ATTR-ACT	Transthyretin Amyloidosis Cardiomyopathy Clinical Trial
BASKET-SMALL 2	BASel Kosten Effektivitäts Trial–drug-coated balloons versus drug-eluting stents in SMALL vessel interventions
BARI 2D	Bypass Angioplasty Revascularization Investigation 2–Diabetes
BMI	body mass index
BNP	brain natriuretic peptide
BP	blood pressure
CABANA	Catheter ABLation vs ANti-arrhythmic drug therapy for Atrial fibrillation
CAD	coronary artery disease
CAMELLIA-TIMI 61	Cardiovascular And MEtaboLic effects of Lorcaserin In overweight And obese patients–Thrombolysis In Myocardial Infarction 61
CANTOS	Canakinumab Antiinflammatory Thrombosis Outcome Study
CARDIA	Coronary Artery Risk Development In young Adults
CASTLE-AF	Catheter Ablation versus Standard conventional Treatment in patients with LEft ventricular dysfunction and Atrial Fibrillation
CHA₂DS₂-VASC	Congestive heart failure, Hypertension, Age, Diabetes, previous Stroke/transient ischemic attack–VAscular disease (peripheral arterial disease, previous myocardial infarction, aortic atheroma) and Sex category
CLARIFY	prospeCtive observational LongitudinAl Reglstry oF patients with stable coronary arterY disease

COMMANDER HF	COMparison of the efficacy and safety of rivaroxaban with placebo for reducing the risk of death, Myocardial infArctioN or stroke in subjects with heart failure and significant coronary artery Disease following an episode of decompensated Heart Failure
COMPASS	Cardiovascular Outcomes for People Using Anticoagulation Strategies
CRISP-CT	Cardiovascular RiSk Prediction using Computed Tomography
DESSOLVE III	DES with Sirolimus and a bioabsorbable pOLymer for the treatment of patients with de noVo lESion in the native coronary arteries
DIGITAL-AF	DIGITAL non-interventional Atrial Fibrillation screening
EAST	Early therapy of Atrial fibrillation for StrokE prevention
EORP	EURObservational research Programme
ESC	European Society of Cardiology
ESH	European Society of Hypertension
EUROASPIRE	EUROpean Action on Secondary and Primary prevention by Intervention to Reduce Events
FAST-MI	French registry of acute ST-elevation or non-ST-elevation myocardial infarction
FFR	fractional flow reserve
GARFIELD-AF	Global Anticoagulant Registry in the FIELD-Atrial Fibrillation
HDL	high-density lipoprotein
HFA	Heart Failure Association
HFMEF	heart failure with midrange ejection fraction
HFPEF	heart failure with preserved ejection fraction
HFREF	heart failure with reduced ejection fraction
HONOR	HOMe-based moNiTORed exercise for PAD
LDL	low-density lipoprotein
LDL-C	low-density lipoprotein cholesterol
LVEF	left ventricular ejection fraction
MANAGE	MANAGEment of myocardial injury after noncardiac surgery

MARINER	Medically ill patient Assessment of Rivaroxaban versus placebo IN reducing post-discharge venous thromboEmbolism Risk
MI	myocardial infarction
MOMENTUM	Multicenter study Of MagLev tEchNology in paTients Undergoing Mechanical circulatory support therapy with HeartMate 3
MRA	mineralocorticoid receptor antagonist
MRI	magnetic resonance imaging
(mSToPS)	mHealth Screening to Prevent Strokes
NAD	nicotinamide adenine dinucleotide
NSTEMI	non-ST-segment elevation myocardial infarction
NT-proBNP	N-terminal pro-brain natriuretic peptide
ORBITA	Objective Randomised Blinded Investigation with optimal medical Therapy of Angioplasty in stable angina
PARADIGM-HF	Prospective comparison of Angiotensin Receptor–neprilysin inhibitor with an Angiotensin-converting enzyme inhibitor to Determine Impact on Global mortality and Morbidity in Heart Failure
PIONEER-HF	Sacubitril–Valsartan Versus Enalapril on Effect on NT-proBNP in Patients Stabilized from an Acute Heart Failure Episode
PREDIMED	PREvención con Dleta MEDiterránea
PRESERVE	PREvention of SERious adVerse Events following angiograph
PURE	Prospective Urban Rural Epidemiology
RACE 3	Routine versus Aggressive upstream rhythm Control for prevention of Early atrial fibrillation in heart failure
RADIAL	Radial Artery Database International Alliance
RCT	randomized controlled trial
REACH	REduction of Atherothrombosis for Continued Health
REMOTE	Remote exercise monitoring trial for exercise-based cardiac rehabilitation
REPRISE III	REpositionable Percutaneous Replacement of stenotic aortic valve through Implantation of lotus valve SystEm
ROPAC	Registry Of Pregnancy And Cardiac disease

RRCT	registry-based RCTs
SCAAR	Swedish Coronary Angiography and Angioplasty Registry
SECURE-PCI	Statins Evaluation in Coronary Procedures and Revascularization
SENIOR	SYNERGY II Everolimus eluting stent In patients Older than 75 years undergoing coronary Revascularisation associated with a short dual antiplatelet therapy
SHIFT	Systolic Heart failure treatment with the If inhibitor ivabradine Trial
SMART-DATE	SMart Angioplasty Research Team-safety of 6-month duration of Dual Antiplatelet Therapy after percutaneous coronary intervention in patients with acute coronary syndromes
SPIRRIT-HFPEF	Spirolactone Initiation Registry Randomized Interventional Trial in Heart Failure with Preserved Ejection Fraction
SPRINT	Systolic Blood Pressure Intervention Trial
STEMI	ST-segment elevation myocardial infarction
SWEDEHEART	Swedish Web-system for Enhancement and Development of Evidence-based care in Heart disease Evaluated According to Recommended Therapies
TARDIS	Triple Antiplatelets for Reducing Dependency after Ischaemic StrokeA
TARGET All Comers	TARGETed therapy with a localised abluminal groove, low-dose sirolimus-eluting, biodegradable polymer coronary stent
TASMINH4	Telemonitoring And/or Self-Monitoring of blood pressure IN Hypertension 4
TASTE	Thrombus Aspiration in ST-Elevation myocardial infarction in Scandinavia
TIM-HF2	Telemedical Interventional Management in Heart Failure II
TIMI	Thrombolysis in Myocardial Infarction
TRANSITION	post-discharge treatment initiation with sacubitril/valsartan in heart failure patients with reduced ejection-fraction hospitalised for an acute decompensation event
TRICS III	Transfusion Requirements In Cardiac Surgery
TRIUMPH	Translational Initiative on Unique and novel strategies for Management of Patients with Heart failure